Author Index

Al-Amidi, A.H.K. and Downes, M.J.
Parasitus bituberosus (Acari: Parasitidae), a possible agent for biological control of *Heteropeza pygmaea* (Diptera: Cecidomyiidae) in mushroom compost 13
Alberti, G. and Bader, C.
Fine structure of external 'genital' papillae in the freshwater mite *Hydrovolzia placophora* (Hydrovolziidae, Actinedida, Actinotrichida, Acari) 115
Alers, M.P.T., *see* Dicke, M. et al.
Amano, H. and Chant, D.A.
Species diversity and seasonal dynamics of Acari on abandoned apple trees in southern Ontario, Canada 71
Bader, C., *see* Alberti, G. and Bader, C.
Banda, D.A., *see* Pegram, R.G. and Banda, D.S.
Barker, R.W., *see* Hahn, N.E. et al.
Berry, J.S. and Holtzer, T.O.
Ambulatory dispersal behavior of *Neoseiulus fallacis* (Acarina: Phytoseiidae) in relation to prey density and temperature 253
Boczek, J., *see* Szlendak, E. et al.
Bruce, W., *see* Szlendak, E. et al.
Chant, D.A., *see* Amano, H. and Chant, D.A.
see also Yao , D.W. and Chant, D.A.
Chen, J.-S.
An improved method for determining the susceptibility of *Rhizoglyphus robini* and *R. setosus* (Acarina: Acaridae) to pesticides 175
Chen, J.-S. and Lo, K.-C.
Toxicity of organophosphorus insecticides to diazinon-reversely-selected, pesticide-pressure-relaxed and field-resistant strains of bulb mite *Rhizoglyphus robini* (Acari: Acaridae) 243
Coons, L.B., L'amoreaux, W.J., Rosell-Davis, R. and Starr-Spires, L.
Fine structure of the fat body and nephocrytes in the life-stages of *Dermacentor variabilis* *125*
De Jong, M., *see* Dicke, M. et al.
Dicke, M., Sabelis, M.W., de Jong, M. and Alers, M.P.T.
Do phytoseiid mites select the best prey species in terms of reproductive success? 161
Dindal, D.L., *see* Stamatiadis, S. and Dindal, D.L.
Downes, M.J., *see* Al-Amidi, A.H.K. and Downes, M.J.
Fain, A., *see* Hart, B.J. et al.
Fivaz, B.H. and Norval, R.A.I.
Immunity of the ox to the brown ear tick *Rhipicephalus appendiculatus* 51
Fletcher, J.D., *see* Walker, A.R. and Fletcher, J.D.
Fletcher, M., *see* Hahn, N.E. et al.
Gary, N.E., *see* Page, R.E., Jr. and Gary, N.E.
Hahn, N.E., Fletcher, M., Rice, R.M., Kocan, K.M., Hansen, J.W., Hair, J.A., Barker, R.W. and Perry, B.D.
Attempted transmission of *Ehrlichia risticci*, causative agent of Potomac horse fever, by the ticks *Dermacentor variabilis*, *Rhipicephalus sanguineus*, *Ixodes scapularis* and *Amblyomma americanum* 41
Hair, J.A., *see* Hahn, N.E. et al.
Halliday, R.B. and Sutherst, R.W.
An Australian record of the American dog tick *Dermacentor variabilis*, and the risk of its establishment outside North America 65

Hansen, J.W., *see* Hahn, N.E. et al.
Hart, B.J., Fain, A. and Hart, D.T.
Differentiation of mite species by using cellulose acetate and equilibrium polyacrylamide gel electrophoresis of isoenzymes 97
Holtzer, T.O., *see* Berry, J.S. and Holtzer, T.O.
Kocan, K.M., *see* Hahn, N.E. et al.
L'amoreaux, W.J., *see* Coons, L.B. et al.
Liu, T.P. and Peng, Y.-S.C.
Scanning electron microscopic observation of the pretarsal suckers of the honey-bee ectoparasite, *Varroa jacobsoni* (Gamasida: Dermanyssina) 105
Lo, K.-C., *see* Chen, J.-S. and Lo, K.-C.
McMurtry, J.A., *see* Zhimo, Z. and McMurtry, J.A.
Mothes-Wagner, U., Reitze, H.K. and Seitz, K.A.
Environmental actions of agrochemicals. 1. Side-effects of the herbicide 3-amino-1,2,4-triazole on a laboratory acarine/host-plant interaction (*Tetranychus urticae*/*Phaseolus vulgaris*) as revealed by electron microscopy 27
Norton, R.A., *see* Palmer, S.C. and Norton, R.A.
Norval, R.A.I., *see* Fivaz, B.H. and Norval, R.A.I.
Page, R.E., Jr. and Gary, N.E.
Genotypic variation in susceptibility of honey bees (*Apis mellifera*) to infestation by tracheal mites (*Acarapis wood*) 275
Palmer, S.C. and Norton, R.A.
Further experimental proof of thelytokous parthenogenesis in oribatid mites (Acari: Oribatida: Desmonomata) 149
Parkinson, C.L.
Population increase and damage by three species of mites on wheat at 20°C and two humidities 179
Pegram, R.G. and Banda, D.S.
Ecology and phenology of cattle ticks in Zambia: development and survival of free-living stages 291
Peng, Y.-S.C., *see* Liu, T.P. and Peng, Y.-S.C.
Perry, B.D.
The Ixodid Ticks of Uganda (book review) 221
see also Hahn, N.E. et al.
Reitze, H.K., *see* Mothes-Wagner, U. et al.
Rice, R.M., *see* Hahn, N.E. et al.
Rosell-Davis, R., *see* Coons, L.B. et al.
Sabelis, M.W., *see* Dicke, M. et al.
Seitz, K.A., *see* Mothes-Wagner, U. et al.
Stamatiadis, S. and Dindal, D.L.
Coprophilous mite communities as affected by concentration of plastic and glass particles 1
Starr-Spires, L., *see* Coons, O.B. et al.
Sutherst, *see* Halliday, R.B. and Sutherst, R.W.
Szlendak, E., Boczek, J. and Bruce, W.
Effect of fast electrons on the reproductive biology of the grain mite, *Acarus siro* (Acari: Acaridae) 223
Walker, A.R. and Fletcher, J.D.
Rhipicephalus appendiculatus feeding on rabbits and cattle: Salivary-gland responses to varying host resistance 285
Yao, D.W. and Chant, D.A.
Changes in body weight of two species of predatory mites (Acarina: Phytoseiidae) as a consequence of feeding in an interactive system 195
Zhimo, Z. and McMurtry, J.A.
Development and reproduction of three *Euseius* (Acari: Phytoseiidae) species in the presence and absence of supplementary foods 233

Subject Index

Acarapis
Variation in susceptibility of *Apis* to infestation 275
Acarus, see Stored-products pests
Amblyomma
Transmission of *Ehrlichia*, agent of Potomac horse fever, by *Dermacentor, Rhipicephalus, Ixodes* and *Amblyomma* 41
Ecology and phenology of cattle ticks: free-living stages 291
Amblyseius
Species diversity and seasonal dynamics of Acari on abondoned apple trees 71
Changes in body weight of Phytoseiidae feeding in an interactive system 195
Analytical techniques
Differentiation of species by cellulose acetate and equilibrium polyacrylamide gel electrophoresis 97
SEM observation of the bee ectroparasite, *Varroa* 105
Improved method for determining susceptibility of *Rhizoglyphus* to pesticides 175
Toxicity of organophosphorus insecticides to *Rhizoglyphus* 243
Apis
SEM observation of the bee ectoparasite, *Varroa jacobsoni* 105
Variation in susceptibility to infestation by *Acarapis* 275
Apple
Species diversity and seasonal dynamics of Acari on abandoned apple trees 71
Bees, *see Apis*
Bioassay, *see* Analytical techniques
Biological control, *see* Pest mangement: B
Boophilus
Ecology and phenology of free-living stages of cattle ticks 291
Brown ear tick, *see Rhipicephalus*
Bryobia, see Apple
Bulb mites, *see Rhizoglyphus*
Cellulose acetate, *see* Analytical techniques
Coprophilous mites
Coprophilous mite communities affected by plastic and glass particles 1
Dermacentor
Transmission of *Ehrlichia*, agent of Potomac horse fever, by *Dermacentor, Rhipicephalus, Ixodes* and *Amblyomma* 41
Australian record of the American dog tick, and risk of establishment outside North America 65
Fine structure of fat body and nephrocytes 125
Diptacus, *see* Apple 71
Disease vectors
Transmission of *Ehrlichia*, agent of Potomac horse fever, by *Dermacentor, Rhipicephalus, Ixodes* and *Amblyomma* 41
Australian record of the American tick *Dermacentor*, and risk of establishment outside North America 65
Disease transmission, *see* Epidemiology
Dispersal
Dispersal behavior of *Neoseiulus* in relation to prey density and temperature 253

East coast fever, *see Theileria*
Ecology, *see* Population dynamics
Ehrlichia, see Disease vectors
Electron microscopy, *see* Analytical techniques Environmental conditions, influence of
Dispersal behavior of *Neoseiulus* in relation to prey density and temperature 253
Environmental effects
Agrochemicals. 1. Side-effects of 3-amino-1,2,4-triazole on *Tetranychus/Phaseolus* interaction 27
Eotetranychus, see Apple 71
Epidemiology
Transmission of Potomac horse fever by *Dermacentor, Rhipicephalus, Ixodes* and *Amblyomma* 41
Eriophes
Species diversity and seasonal dynamics of Acari on abandoned apple trees 71
Euseius
Development and reproduction in the presence and absence of supplementary foods 233
Extraterritorial occurrence
Australian record of the American dog tick *Dermacentor*, and risk of establishment outside North America 65
Feeding dynamics
Changes in body weight of Phytoseiidae feeding in an interactive system 195
Development and reproduction of *Euseius* in the presence and absence of supplementary foods 233
Genotypic variation, host
Variation in susceptibility of *Apis* to *Acarapis* infestation 275
Clycyphagus, see Stored-products pests
Grain mite, *see* Stored-products pests
Heteropeza, see Pest management: A
Hydrovolzia
Fine structure of 'genital' papillae 115
Immunity, host
Immunity of the ox to *Rhipicephalus* 51
Integrated pest management, *see* Pest management: B
Irradiation, *see* Pest management: A
Ixodes
Transmission of Potomac horse fever by *Dermacentor, Rhipicephalus, Ixodes* and *Amblyomma* 41
Ixodidae, general
Ixodid Ticks of Uganda (book review) 221
January disease, *see Theileria*
Modelling
Australia record of the American dog tick *Dermacentor*, and risk of establishment outside North America 65
Mushroom, pests of, *see* Pest management: A
Neoseiulus
Dispersal behavior in relation to prey density and temperature 253
Oribatida
Proof of thelytokous parthenogenesis in oribatids 149

Parasitus, *see* Pest management: B
Parthenogenesis, *see* Population dynamics
Pest control, lack of, see Pest management: A
Phaseolus, *see* Pest Management: A
Pest management: A: Control of acarine pests
Parasitus bituberosus for biological control of *Heteropeza* in mushroom 13
Agrochemicals. 1. Side-effects of 3-amino-1,2,4-triazole on *Tetranychus/Phaseolus* interaction 27
Species diversity and seasonal dynamics of Acari on abandoned apple trees 71
Improved method for determining susceptibility of *Rh izoglyphus* to pesticides 175
Changes in body weight of Phytoseiidae feeding in an interactive system 195
Effect of fast electrons on reproductive biology of *Acarus* 223
Toxicity of organophosphorus insecticides to *Rhizoglyphus* 243
Pest managent: B: Acarines as pest control agents
Parasitus bituberosus for biological control of *Heteropeza* in mushroom 13
Development and reproduction of *Euseius* in the presence and absence of supplementary foods 233
Dispersal behavior of *Neoseiulus* in relation to prey density and temperature 253
Pesticides, *see* Pest management: A
see also Environmental effects
Phaseolus, *see* Pest Management: A
Phytoseiidae, general
Phytoseiid mites select best prey in terms of reproductive success 161
Phytoseiulus
Changes in body weight of Phytoseiidae feeding in an interactive system 195
Phytoseius
Species diversity and seasonal dynamics of Acari on abandoned apple trees 71
Polyacrylamide gel electrophoresis, *see* Analytical techniques
Population dynamics
Species diversity and seasonal dynamics of Acari on abandoned apple trees 71
Phytoseiid mites select best prey in terms of reproductive success 161
Population increase and damage mites on wheat 179
Effect of fast electrons on reproductive biology of *Acarus* 223
Development and reproduction of *Euseius* in the presence and absence of supplementary foods 233
Potomac horse fever
Transmission of Ehrlichia by *Dermacentor, Rhipicephalus, Ixodes* and *Amblyomma* 41
Prey dynamics, influence of
Dispersal behavior of *Neoseiulus* in relation to prey density and temperature 253
Prey selection
Phytoseiid mites select best prey in terms of reproductive success 161
Reproduction, *see* Population dynamics
Resistance, host
Variation in susceptibility of *Apis* to *Acarapis* infestation 275
Rhipicephalus salivary-glands responses to host resistance 285
Rhipicephalus
Transmission of *Ehrlichia*, agent of Potomac horse fever 41
Immunity of the ox 51
Rhipicephalus responses in salivary-glands to host resistance 285
Ecology and phenology of cattle ticks: free-living stages 291

Rhizoglyphus
Improved method for determining susceptibility to pesticides 175
Toxicity of organophosphorus insecticides 243
Rocky Mountain spotted fever
An Australian record of the American dog tick 65
Seasonal dynamics
Species diversity and seasonal dynamics of Acari on abandoned apple trees 71
Species identification, *see* Analytical techniques
Species diversity
Species diversity and seasonal dynamics of Acari on abandoned apple trees 71
Spread, *see* Dispersal
see also Extraterritorial occurrence
Stored-products pests
Population increase and damage by mites on wheat 179
Effect of fast electrons on reproductive biology of *Acarus* 223
Structure and function, community
Coprophilous mite communities affected by plastic and glass particles 1
Structure and function, organism
SEM observation of the bee ectoparasite, *Varroa* 105
Fine structure of 'genital' papillae of *Hydrovolzia* 115
Fine structure of fat body and nephrocytes in *Dermacentor* 125
Changes in body weight of Phytoseiidae feeding in an interactive system 195
Temperature, *see* Environmental conditions, influence of
Tetranychus
Agrochemicals, 1. Side-effects of 3-amino-1,2,4-triazole on *Tetranychus/Phaseolus* interaction 27
Changes in body weight of Phytoseiidae feeding in an interactive system 195
Theileria
Immunity of the ox to *Rhipicephalus* 51
Thelytoky, *see* Population dynamics
Typhlodromus
Species diversity and seasonal dynamics of Acari on abondoned apple trees 71
Tyrophagus, *see* Stored-products pests
Varroa
SEM observation of the bee ectoparasite 105
Waste disposal, mites as vehicles for
Coprophilous mite communities affected by plastic and glass particles 1
Zetzellia, see Apple